



■ ■

,
AGTR1 (A1166C),



(- V)



1. Hawrelak J.A. The causes of intestinal dysbiosis: A review / J.A. Hawrelak, S.P. Muers // *Alt. Med. Rev.* – 2004. – Vol. 9(2). – P.180-197.
2. Chih-Hsien (Bruce) Kao. The Role of the Eubiotic Diet in Intestinal Dysbiosis and Hypertension / Kao Chih-Hsien (Bruce), Shimon Levitam // *Int. J. Naturopathic Medicine.* – 2009. – Vol. 4 (1). – P. 42-49.
3. The effect of *Lactobacillus helveticus* fermented milk high peptide concentration on blood pressure in hypertension subjects / T. Jauhiainen, H. Vapaataho, T. Poussa [et al.] // *Am. J. Hypertension.* – 2005. – Vol. 18. – P. 1600-1605

()

AGTR1 (1166);

IgG

- 104

(, 1999; ESH, ESC 2007-2010)




- - 20

- ; ; (EndoCab);
(/);
AGTR1-
“Amplify”,


- ,




-

.





,%





A1166C


AGTR1




$\chi^2 < 1,0, > 0,05$

AGTR1


$\chi^2 = 16,72, = 0,002$





AGTR1
(A1166C)



(Δ %)



(Δ %)

*

IgG



1.

-

AGTR1

2.

IgG

E-mail: lsydorchuk@ukr.net