

T894G

eNOS

ACE

I/D

-



,

,

,



▪ () - -
, -
(ESC, ESH, 2010). -
NO, NO-
▪

eNOS I/D

43 -
(); 26
: E

()
nitrate)


T894G

NO (/
(),
70 (27 -

, 44 , 53,7±6,9


NO (nitrite/

50



. 1. -
-
(I/D)
.-

$\chi^2, =0,05$




. 2. -
-
eNOS (T894G)
.-

$\chi^2, =0,02$

Hardy-Weinberg


(1).

eNOS: - 5,7% (4)
 , TG – 50,0% (35) , GG – 44,3% (31),
 - – 30,0% (21), G- – 70,0% (49)
 ; : - 17,1%
 (12) , ID – 54,3% (38), DD – 28,6% (20) (.
 1-2). DD-
 (,) ,
 - (155,64±6,25
 138,25±3,64 . . (p<0.05-0,01) 96,70±4,20
 82,18±3,20 . . (p 0.05-0,04)).
 eNOS , (,
)
 GG- eNOS (0,05)



. 3.

eNOS (T894G)



. 4.

(I/D)

eNOS

NO

($r=-0,3$, $p<0,05$)

$r=-0,22$, $p<0,05$,

ST >1,5

($r=0.45$, $p=0.038$),

()

($r=-0,6$, $p<0.01$)

(79,1%

48,1%, $p<0,01$).


NO

eNOS (TT/TG),


GG- : $21,5\pm 2,2$

/ $29,7\pm 1,8$


/ ($p<0,05$)



5.
ST
eNOS
(T894G)
(
,
).



6.
ST
(I/D)
(
-
,
).



. 7.

2- ; -
 ; 1-
 (-, GG-); 2 -
 (ID-, TG-
).

- . eNOS ()
NO
GG- eNOS
D-

&

:

jpurs@mail.ru